

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"6977930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L3	503	packet and header and (tail or trailer) and ((divid\$4 or split\$5 or break\$4 or chop \$4 or dissect\$5 or subdivid \$7 or segment\$5 or partition \$5) with ((trailer or tail)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L4	2	"20030158940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L5	4	"7222228".pn. or "6356951".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L6	280	packet and header and (tail or trailer) and ((divid\$4 or split\$5 or break\$4 or chop \$4 or dissect\$5 or subdivid \$7 or segment\$5 or partition \$5) with ((trailer or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L7	280	packet and header and (tail or trailer) and (((divid\$4 or split\$5 or break\$4 or chop \$4 or dissect\$5 or subdivid \$7 or segment\$5 or partition \$5)) with ((trailer or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

L8	622	packet and header and (tail or trailer) and (((divid\$4 or split\$5 or break\$4 or chop\$4 or dissect\$5 or subdivid\$7 or segment\$5 or partition\$5)) with ((trailer or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L9	14	(packet and header and (tail or trailer)).ab. and (((divid\$4 or split\$5 or break\$4 or chop\$4 or dissect\$5 or subdivid\$7 or segment\$5 or partition\$5)) with ((trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L10	2	"6522730".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L11	2	"20050018637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L12	9	VLAN with ((hand adj2 off) or (hand adj2 over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L13	2	"20060002386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L14	20	VLAN same ((hand adj2 off) or (hand adj2 over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L15	11	(VLAN same ((hand adj2 off) or (hand adj2 over))) not L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

L16	2	"20040047320".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L17	2	"20050113086".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L18	0	(header with trailer with seperat\$5) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L19	125	(header with trailer with seperat\$5) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L20	58	(header with trailer with pointer) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L21	37	(header with (includ\$4 or contain\$4) with trailer with pointer) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L22	2	"6977930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L23	503	packet and header and (tail or trailer) and ((divid\$4 or split\$5 or break\$4 or chop \$4 or dissect\$5 or subdivid \$7 or segment\$5 or partition \$5) with ((trailor or tail)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

L24	2	"20030158940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L25	4	"7222228".pn. or "6356951".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L26	280	packet and header and (tail or trailer) and ((divid\$4 or split\$5 or break\$4 or chop \$4 or dissect\$5 or subdivid \$7 or segment\$5 or partition \$5) with ((trailer or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L27	280	packet and header and (tail or trailer) and (((divid\$4 or split\$5 or break\$4 or chop \$4 or dissect\$5 or subdivid \$7 or segment\$5 or partition \$5)) with ((trailer or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L28	622	packet and header and (tail or trailer) and (((divid\$4 or split\$5 or break\$4 or chop \$4 or dissect\$5 or subdivid \$7 or segment\$5 or partition \$5)) with ((trailer or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L29	350	packet and header and (tail or trailer) and (((divid\$4 or split\$5 or break\$4 or chop \$4 or dissect\$5 or subdivid \$7 or segment\$5 or partition \$5)) with ((trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L30	14	(packet and header and (tail or trailer)).ab. and (((divid \$4 or split\$5 or break\$4 or chop\$4 or dissect\$5 or subdivid\$7 or segment\$5 or partition\$5)) with ((trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

L31	2	"6522730".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L32	2	"20050018637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L33	9	VLAN with ((hand adj2 off) or (hand adj2 over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L34	2	"20060002386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L35	20	VLAN same ((hand adj2 off) or (hand adj2 over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L36	11	(VLAN same ((hand adj2 off) or (hand adj2 over))) not L33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L37	2	"20040047320".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L38	2	"20050113086".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

L39	0	(header with trailer with separat\$5) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L40	125	(header with trailer with separat\$5) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L41	58	(header with trailer with pointer) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L42	37	(header with (includ\$4 or contain\$4) with trailer with pointer) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L43	350	packet and header and (tail or trailer) and (((divid\$4 or split\$5 or break\$4 or chop\$4 or dissect\$5 or subdivid\$7 or segment\$5 or partition\$5)) with (trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L44	182	packet and cell and (header or preamble) and (tail or trailer) and (((divid\$4 or split\$5 or break\$4 or chop\$4 or dissect\$5 or subdivid\$7 or segment\$5 or partition\$5)) with (trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L45	92	packet and cell and (header or preamble) and (tail or trailer) and (((divid\$4 or split\$5 or break\$4 or chop\$4 or dissect\$5 or subdivid\$7 or segment\$5 or partition\$5)) with (trailer))) and IP and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

L46	88	packet and cell and (header or preamble) and (tail or trailer) and (((divid\$4 or split \$5 or break\$4 or chop\$4 or dissect\$5 or subdivid\$7 or segment\$5 or partition\$5)) with ((trailer))) and IP and ATM and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L47	48	packet and cell and (header or preamble) and (tail or trailer) and (((divid\$4 or split \$5 or break\$4 or chop\$4 or dissect\$5 or subdivid\$7 or segment\$5 or partition\$5)) with ((trailer))) and IP and ATM and pointer and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L48	117	(ATM adj2 IP adj2 ATM) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L49	2	"6046999".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L50	2661	(header adj (process\$5)) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L51	405	(header adj (process\$5)). ab. and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L52	32	(header adj (process\$5)). ab. and payload.ab. and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

L53	7	(header adj (process\$5)). ab. and payload.ab. and IP and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L54	235	(header adj (process\$5)) and (payload with (buffer or memory)) and IP and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L55	26	(header adj (process\$5)) and (payload with (buffer or memory) with pointer) and IP and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L56	10	(atm adj ip adj atm) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L57	20480	(atm with switch\$4) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L58	1361	((atm with switch\$4) with IP with rout\$4) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L59	672	((atm with switch\$4) with (IP adj rout\$4)) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L60	569	((atm adj switch\$4) with (IP adj rout\$4)) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

L61	59	((atm adj switch\$4) with (IP adj rout\$4)) same (qos or classify\$5)) and (@riad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L62	26	MPLS adj RING	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L63	46	MPLS adj2 RING	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L64	2	"7174134".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03
L65	6	"7400901".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/30 19:03

8/ 30/ 2010 7:13:27 PM

C:\Documents and Settings\sahmed\My Documents\EAST\Workspaces\10777150-Oct-29-2008-Chu_case.wsp